DePere Lock and Dam, Storage Building Approximately 50 feet northwest of the lock shelter DePere Brown County Wisconsin HAER No. WI-86-D

HAER WIS 5-DEPER, 2D-

PHOTOGRAPHS

WRITTEN HISTORICAL AND DESCRIPTIVE DATA

HISTORIC AMERICAN ENGINEERING RECORD
Rocky Mountain System Support Office
National Park Service
P.O. Box 25287
Denver, Colorado 80225-0287

HISTORIC AMERICAN ENGINEERING RECORD

DE PERE LOCK AND DAM, STORAGE BUILDING

HAER WIS 5-DEPER, 3D-

HAER NO. WI-86-D

Location:

The storage building at the De Pere Lock and Dam Complex is located approximatelt 50 feet northwest of the lock shelter, in the French Lots PC 28 and 32, T23N, R20E, Civil Towns of De Pere and Lawrence, Brown

County, Wisconsin.

UTM: 16/415390/4922200; USGS Quadrangle: De Pere, Wisconsin 7.5'

series

Date of

Construction:

1982

Engineer:

United States Army Corps of Engineers with Contractors

Architect:

United States Army Corps of Engineers with Contractors

Present Owner:

United States Army Corps of Engineers

Present Use:

Storage of paint and petroleum products.

Significance:

The storage building functions as part of the daily operation of the De Pere

Lock and Dam Complex.

Project Information:

This documentation was undertaken in 1995 in accordance with requirements detailed in a June 19, 1994 letter from Gregory D. Kendrick, Chief, History Branch, NPS to Dale Monteith, Acting Chief, Planning Division, USACOE, Detroit District. The Lower Fox system remains basically operational but was placed in caretaker status by the USACOE in 1982. The USACOE plans to divest itself of the Lower Fox system as soon

as is feasible; therefore, NPS requested this documentation. All

documentation conforms to HAER standards.

Dr. John D. Richards, Principal Investigator; Georgia A. Lusk, Patricia B. Richards, and Robert J. Watson, Project Archivists with Great Lakes

Archaeological Research Center, Inc.; Joseph Paskus, Project

Photographer.

STORAGE BUILDING

A 5 foot 4 inch by 5 foot 4 inch metal storage building is located approximately 50 feet northwest of the lock shelter. Constructed in 1982, the storage building is a pre-fabricated structure manufactured by Armco Building Systems of Cincinnati, Ohio. The modular wall panels, which are bolted onto a concrete slab foundation, support a flat roof.¹ An entrance door is located on the south side of the storage building, and a single, louvered vent is centered on the downstream side.²

The storage building houses various pieces of equipment needed for the operation and upkeep of the De Pere lock. This equipment includes maintenance items such as lawnmowers and other landscaping tools as well as paint and other supplies.

ENDNOTES

- Armco Steel Buildings, Erection Instructions TL-1 Building, sheets ET-115, ET-116, ET-118, ET-119.
- 2 <u>Ibid.</u>, sheets EW-109, E-159.